

From: [CA - Circulations](#)
To: [Christina Coulter](#)
Subject: RE: R-12-24 (Earnshaw)
Date: October 11, 2024 1:11:23 PM
Attachments: [image001.png](#)
Importance: Low



Your E-mail was Received on: Friday, October 11, 2024

Thank you for your email on: R-12-24 (Earnshaw)

The information that municipalities provide to Bell Canada is instrumental to the provisioning of telecommunications infrastructure and we appreciate the opportunity to be proactively engaged in development applications and infrastructure and policy initiatives.

Bell Canada will provide a response should any comments / input be required on the information included in the circulation received. Bell Canada kindly requests that even if a specific comment is not provided at this time that you continue to circulate us at circulations@wsp.com on any future materials related to this development project or infrastructure / policy initiative so that we can continue to monitor its progress and are informed of future opportunities for engagement.

1) Bell Canada Responses to Pre-Consultation & Complete Development Application Circulations:

Pre-consultation Circulations

Please note that Bell Canada does NOT generally comment on pre-consultation circulations unless the information provided identifies that a future draft plan of subdivision, draft plan of condominium and/or site plan control application will be required to advance the development proposal.

Complete Application Circulations & Recirculations

Please note that Bell Canada does NOT generally comment on the following development applications - official plan and zoning by-law amendments, part lot control, temporary use and interim control by-laws. However, Bell Canada does generally comment on site plan approval, draft plans of subdivision and draft plan of condominium applications.

Bell Canada will generally comment on recirculations where the change modifies the proposed residential dwelling unit count and/or non-residential gross floor area in a draft plan of subdivision, draft plan of condominium and/or site plan control application.

2) Bell Canada Responses to Infrastructure and Policy Initiative Circulations:

If required, a follow-up email will be provided by Bell Canada to outline any input to be considered on the infrastructure / policy initiative circulation received at this time.

Concluding Remarks:

If you have any other specific questions, please contact planninganddevelopment@bell.ca directly.

We note that WSP operates Bell Canada's development tracking system, which includes the intake and processing of municipal circulations. **However, all responses to circulations and requests for information, such as requests for clearance, will come directly from Bell Canada, and not from WSP.** WSP is not responsible for the provision of comments or other responses.

Should you have any questions, please contact the undersigned.

Yours Truly,



Juan Corvalan

Bell Canada

Senior Manager – Municipal Liaison

Network Provisioning

planninganddevelopment@bell.ca

From: Christina Coulter <ccoulter@dourodummer.ca>
Sent: Friday, October 11, 2024 5:07:56 PM
Cc: Martina Chait-Hartwig <mchaithartwig@dourodummer.ca>
Subject: R-12-24 (Earnshaw)

Good Afternoon;

The Township is in receipt of a rezoning application File R-12-24 (Earnshaw). A copy of the Notice of Complete Application and Public Meeting and Draft By-law are attached and will be mailed and posted on the [Township website](#) today.

Please provide your comments no later than 11:00 a.m. on Tuesday October 22, 2024.

Sincerely,
Christina

Christina Coulter B. Sc. (Hons.)
Planner
[Planning and Development](#)

T: 705 652 8392 x 226 F: 705 652 5044

Township of

Douro-Dummer

NOTICE: This communication and any attachments ("this message") may contain information which is privileged, confidential, proprietary or otherwise subject to restricted disclosure under applicable law. This message is for the sole use of the intended recipient(s). Any unauthorized use, disclosure, viewing, copying, alteration, dissemination or distribution of, or reliance on, this message is strictly prohibited. If you have received this message in error, or you are not an authorized or intended recipient, please notify the sender immediately by replying to this message, delete this message and all copies from your e-mail system and destroy any printed copies. You are receiving this communication because you are listed as a current WSP contact. Should you have any questions regarding WSP's electronic communications policy, please consult our Anti-Spam Commitment at www.wsp.com/casl. For any concern or if you believe you should not be receiving this message, please forward this message to caslcompliance@wsp.com so that we can promptly address your request. Note that not all messages sent by WSP qualify as commercial electronic messages.

AVIS : Ce message, incluant tout fichier l'accompagnant (« le message »), peut contenir des renseignements ou de l'information privilégiés, confidentiels, propriétaires ou à divulgation restreinte en vertu de la loi. Ce message est destiné à l'usage exclusif du/des destinataire(s) voulu(s). Toute utilisation non permise, divulgation, lecture, reproduction, modification, diffusion ou distribution est interdite. Si vous avez reçu ce message par erreur, ou que vous n'êtes pas un destinataire autorisé ou voulu, veuillez en aviser l'expéditeur immédiatement et détruire le message et toute copie électronique ou imprimée. Vous recevez cette communication car vous faites partie des contacts de WSP. Si vous avez des questions concernant la politique de communications électroniques de WSP, veuillez consulter notre Engagement anti-pourriel au www.wsp.com/lcap. Pour toute question ou si vous croyez que vous ne devriez pas recevoir ce message, prière de le transférer au conformitelcap@wsp.com afin que nous puissions rapidement traiter votre demande. Notez que ce ne sont pas tous les messages transmis par WSP qui constituent des messages électroniques commerciaux.